## Message

From: Prentice, Amanda [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=1526A9DF16C84D628C07AB8A924C4B7B-PRENTICE, A]

**Sent**: 7/13/2021 5:14:44 PM

To: Bob Peshak [bpeshak@envirosure.com]
CC: ABenisatto@shapiro-croland.com

Subject: RE: Parkway VOC analysis

No problem!

## Amanda M. Prentice

Assistant Regional Counsel U.S. Environmental Protection Agency, Region 2 290 Broadway, 16<sup>th</sup> Floor New York, NY 10007 Phone: 212-637-3209

Email: Prentice.Amanda@epa.gov

Pronouns: she/her

CONFIDENTIAL: This transmission may contain deliberative and/or enforcement confidential, attorney-client, or otherwise privileged material. Do not release under FOIA without appropriate review. If you have received this message in error, you are asked to notify the sender and to delete this message.

Sent: Tuesday, July 13, 2021 1:11 PM

To: Prentice, Amanda < Prentice. Amanda@epa.gov>

**Cc:** ABenisatto@shapiro-croland.com **Subject:** RE: Parkway VOC analysis

Excellent - thank you Amanda.

Bob Peshak General Manager Envirosure, LLC

From: Prentice, Amanda [mailto:Prentice.Amanda@epa.gov]

Sent: Tuesday, July 13, 2021 10:04 AM

To: Bob Peshak

**Cc:** ABenisatto@shapiro-croland.com **Subject:** RE: Parkway VOC analysis

Hi Bob,

Paragraph 1 on p. 7 of the CAA Section 114 letter dated March 22, 2021 confirms that Method 25A is the appropriate method:

a. The total gaseous organic compound emission rate as volatile organic compounds (VOC) using EPA Reference Methods 1-4 and Method 25A in 40 C.F.R Part 60, Appendix A;

Thanks, Amanda

## Amanda M. Prentice

Assistant Regional Counsel U.S. Environmental Protection Agency, Region 2 290 Broadway, 16<sup>th</sup> Floor New York, NY 10007

Phone: 212-637-3209

Email: Prentice.Amanda@epa.gov

Pronouns: she/her

CONFIDENTIAL: This transmission may contain deliberative and/or enforcement confidential, attorney-client, or otherwise privileged material. Do not release under FOIA without appropriate review. If you have received this message in error, you are asked to notify the sender and to delete this message.

From: Prentice, Amanda

Sent: Tuesday, July 13, 2021 11:00 AM To: Bob Peshak <br/>
<br/>
bpeshak@envirosure.com>

Cc: ABenisatto@shapiro-croland.com Subject: RE: Parkway VOC analysis

Thanks for the note—will revert back to you on your question.

Thanks, Amanda

## Amanda M. Prentice

Assistant Regional Counsel U.S. Environmental Protection Agency, Region 2 290 Broadway, 16th Floor New York, NY 10007 Phone: 212-637-3209

Email: Prentice.Amanda@epa.gov

Pronouns: she/her

CONFIDENTIAL: This transmission may contain deliberative and/or enforcement confidential, attorney-client, or otherwise privileged material. Do not release under FOIA without appropriate review. If you have received this message in error, you are asked to notify the sender and to delete this message.

Sent: Tuesday, July 13, 2021 10:38 AM

To: Prentice, Amanda < Prentice. Amanda@epa.gov >

Cc: ABenisatto@shapiro-croland.com Subject: Parkway VOC analysis

Good afternoon Amanda,

We are working on the feasibility of a performance test at Parkway and one simple question came up. For the VOC analysis, are we to use EPA Method 25A?

Bob Peshak General Manager Envirosure, LLC 1018 East Guadalupe Road, Tempe, AZ 85283 (office) 480.784.4621 ext 414 / (direct) 480.704.4749 / (cell) 480.686.6871 bpeshak@envirosure.com www.envirosure.com



Please consider the environment before printing this email

IMPORTANT NOTE: The information contained in this transmission and any attached files is intended only for the named addressee (s) and may contain confidential, proprietary and/or privileged attorney-client material. Any interception, review, retransmission, dissemination, or other use of this information by parties other than the intended recipient (s) is strictly prohibited. If you received this communication in error, please notify the sender using either the "reply" command or via telephone at (480.784.4621), and immediately delete this e-mail and all attached files from any computer or network system.